

# PRODUCT SELECTOR

Solid hardwood floors



**JUNCKERS**

Walking on Danish design

[JUNCKERS.COM](http://JUNCKERS.COM)



# JOIN THE COLLAB WITH NATURE

## ABOUT JUNCKERS

Junckers is Europe's leading solid wood flooring manufacturer. The company has deep roots tracing back to its establishment in 1930 by founder, Flemming Juncker. A visionary and dedicated forester, Flemming Juncker possessed a profound sympathy and understanding for what is today referred to as the circular economy. He advocated a sustainable approach to wood flooring, aiming to utilize every part of the tree. This vision remains integral to Junckers today through its incorporated philosophy: **Join the Collab with Nature.**

When developing woodcare products, Junckers does so with a deep understanding of the requirements for both quality and environmental considerations. The company believes that lacquers, oils, and cleaning products play a crucial role in maintaining the beauty of wood products while extending their lifespan. At the factory in Denmark, a dedicated team of experts meticulously monitors the daily production, providing unparalleled insights into the functionality of wood flooring and an understanding of the challenges that any project may present.

The close connection to production enables Junckers to create solutions that meet the specific needs and requirements of customers within the sports, commercial, and residential segments.

Successful projects require a reliable partner from start to finish. Junckers is committed to being a reliable and professional partner, working side-by-side with customers from project planning to execution and subsequent maintenance.

Experience has shown that this approach is crucial to offering sustainable-minded solutions that last for decades – making the company a preferred choice for professionals working on project sales worldwide.

# CONTENTS

<b>2</b>	ABOUT JUNCKERS
<b>4</b>	A WIDE PRODUCT RANGE
<b>6</b>	2 STRIP FLOORING
<b>8</b>	PLANK FLOORING
<b>10</b>	COLOURED FLOORS
<b>12</b>	TEXTURED & COLOURED PLANK FLOORS
<b>13</b>	HEXPARKET
<b>14</b>	TWIN HERRINGBONE FLOORS
<b>15</b>	HERRINGBONE FLOORS - SINGLE STAVES AND PLANKS

With a global presence, facilitated through seven sales offices and an extensive network of dealers and agents, Junckers has branched out across the world. The company delivers their products to more than 45 countries worldwide.

Choose Junckers for products that meet the highest standards and join the company and its philosophy of collaborating with nature.

# A WIDE PRODUCT RANGE

---

Solid wood floors create elegant harmony and are stylish and distinctive at the same time. At Junckers, you'll find a wide range of wood species, floor types, colors and textures to ensure, that you'll always find something to suit your taste.

---

## UNDERFLOOR HEATING

At Junckers we have extensive expertise in flooring solutions that work in conjunction with underfloor heating and guarantee that our wood floors can be installed on top of both electric and hydronic underfloor heating systems.

## INSTALLATION

A Junckers wood floor can be installed in three different ways, depending on the type of floor, subfloor and installation height. You can choose between mounting brackets, full gluing or a construction where the floor is nailing the floor to joists or a wood-based subfloor.

## SURFACE TREATMENT

Junckers wood floors are delivered finished with oil or lacquer, ready for use. Alternatively, you can choose an untreated floor if you prefer to surface treat it yourself.

## CLIMATE CONSIDERATIONS - A CENTRAL PART OF OUR BUSINESS

- We offer wood flooring from sustainable forestry - certified according to FSC® or PEFC.
- The air quality where you live is where you spend time is important. We have a wide range of Indeklima-labeled flooring and wood care products.
- Signed up to the UN Global Compact.
- Signed up to the Science Based Targets initiative (SBTi).
- Environmentally certified according to ISO 14001.
- Energy certified according to ISO 50001.
- All our wood floors are CE marked.



The mark of  
responsible forestry



Ask Junckers for FSC® or PEFC  
certified products



2 STRIP

Floor design based on individually selected solid wood strips.  
Authentic and with a unique look.



PLANK

Designed from a single piece of solid wood.  
Stylish and timeless look.



HERRINGBONE

Gives any room an exclusive and elegant look.



HEXPARKET

Decorate with nature's perfect pattern.

# 2 STRIP WOODEN FLOORING

## UP TO THREE DIFFERENT STYLES

### CLASSIC:

Uniform look with very little colour and structural graining variation.

### HARMONY:

Natural look with a more natural range of colour and structural graining variation.

### VARIATION:

A rustic look with substantial colour and graining variation.

### BEECH

**Thickness:** 14/22 mm

**Width:** 129 mm

**Classic and Variation surface:** Ultra matt and silk matt lacquer

**Harmony surface:** Clear Oil, Ultra matt and silk matt lacquer

A floorboard with a uniform structure, white to reddish heartwood and a red-brown grain pattern. The classic floor.




### BEECH NORDIC

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

A Beech floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.




### BEECH SYLVAKET

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt and silk matt lacquer

A Beech floorboard coloured through its full thickness. Can be sanded without loss of colour. Adds a warm golden glow to the floor.




### BEECH SYLVAKET NORDIC

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt and silk matt lacquer

Flooring panel in beech, colored throughout the thickness, combined with a white-toned surface. Very similar in appearance to oak.



### MAPLE

**Thickness:** 22 mm

**Width:** 129 mm

**Surface:** Ultra matt and silk matt lacquer

A floorboard with a light colour and a very uniform grain pattern. A very elegant floor.



## OAK



**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Clear oil, ultra matt and silk matt lacquer

A floorboard with a warm and golden glow and an interesting grain structure.

Natural ageing gives the wood an authentic appearance.





## OAK NORDIC

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

An Oak floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.



## OAK NORDIC WHITE PLUS

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

This wood is particularly resistant and therefore suitable for flooring. The Nordic White Plus color adds a "Scandinavian" touch to the flooring.





## ASH

**Thickness:** 22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

A floorboard with an elegant, light appearance combined with a characteristic dark grain pattern. Over time, the natural ageing gives Ash a warm and golden glow.





## ASH NORDIC

**Thickness:** 22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

An Ash floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.



## BLACK OAK

**Thickness:** 14/22 mm

**Width:** 129 mm

**Surface:** Ultra matt lacquer

An Oak floorboard coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



# PLANK COLLECTION

## UP TO THREE DIFFERENT STYLES

### CLASSIC:

Uniform look with very little colour and structural graining variation.

### HARMONY:

Natural look with a more natural range of colour and structural graining variation.

### VARIATION:




A rustic look with substantial colour and graining variation.

### 15 MM OAK

**Thickness x width:** 15 x 129 mm

**Surface:** Clear oil, ultra matt and silk matt lacquer

A floorboard with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.






### 20.5 MM OAK

**Thickness x width:** 20.5 x 140 mm

**Surface:** Clear oil, ultra matt and silk matt lacquer

A floorboard with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.





### 15 MM OAK NORDIC

**Thickness x width:** 15 x 129 mm

**Surface:** Ultra matt lacquer

An Oak floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.






### 20.5 MM OAK NORDIC

**Thickness x width:** 20.5 x 140 mm

**Surface:** Ultra matt lacquer

An Oak floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.



### BLACK OAK

**Thickness x width:**

15 x 129 mm

20.5 x 140 mm

**Surface:** Clear oil and Ultra matt lacquer

An Oak floorboard coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



Refresh with Junckers Maintenance Oil right after installation.

Transportation and handling of the floorboards on site can cause a slightly worn appearance.

### 20.5 MM OAK NATURE

**Thickness x width:** 20.5 x 140 mm  
**Surface:** Ultra matt and silk matt lacquer

A floorboard with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.



### 20.5 MM OAK NORDIC NATURE

**Thickness x width:** 20.5 x 140 mm  
**Surface:** Ultra matt lacquer

An Oak floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.



## PLANK BOULEVARD

For a truly superior look, choose Junckers Boulevard floors - Solid hardwood oak planks 185 mm wide. Extra width and extra luxury. The planks convey a sense of style and class that looks outstanding in any room.

### OAK BOULEVARD

**Thickness:** 20.5 mm  
**Width:** 185 mm  
**Surface:** Clear oil, ultra matt or silk matt lacquer

A floorboard with a warm and golden glow and an interesting grain structure. Natural ageing gives the wood an authentic appearance.



### OAK NORDIC BOULEVARD

**Thickness:** 20.5 mm  
**Width:** 185 mm  
**Surface:** Ultra matt lacquer

An Oak floorboard with a white toned surface. Adds a light Scandinavian touch to the floor.



### BLACK OAK BOULEVARD

**Thickness:** 20.5 mm  
**Width:** 185 mm  
**Surface:** Clear oil or ultra matt lacquer

An Oak floorboard coloured through its full thickness. Can be sanded without loss of colour. Adds a very dark appearance similar to Oak preserved in a bog for centuries.



*Refresh with Junckers Maintenance Oil right after installation.  
Transportation and handling of the floorboards on site can cause a slightly worn appearance.*

# COLOUR RANGE

## 2 STRIP AND PLANK

Coloured Hardwood Flooring can sometimes be the final touch that brings a room to life. Choose from a broad variety of colours to get a completely unique look.

### RAW SUGAR

#### Beech 2 Strip Harmony\*

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Ultra matt lacquer

#### Oak plank Harmony

**Thickness:** 20.5 mm **Width:** 140/185 mm

**Surface:** Ultra matt lacquer



### NATURAL PEARL

#### Oak 2 Strip Harmony\*

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Ultra matt lacquer

#### Oak plank Harmony

**Thickness x width:** 15 x 129 mm / 20.5 x 140/185 mm

**Surface:** Ultra matt lacquer



### GOLDEN PEARL

#### Oak 2 Strip Harmony\*

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Ultra matt lacquer

#### Oak plank Harmony

**Thickness x width:** 15 x 129 mm / 20.5 x 140/185 mm

**Surface:** Ultra matt lacquer



### SILVER PEARL

#### Oak 2 Strip Harmony\*

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Ultra matt lacquer

#### Oak plank Harmony

**Thickness x width:** 15 x 129 mm / 20.5 x 140/185 mm

**Surface:** Ultra matt lacquer



### DRIFTWOOD GREY

#### Oak 2 Strip Harmony\*

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Ultra matt lacquer

#### Oak plank Harmony

**Thickness x width:** 15 x 129 mm / 20.5 x 140/185 mm

**Surface:** Ultra matt lacquer




### BLACK OIL

#### Beech 2 Strip Harmony

**Thickness:** 14/22 mm **Width:** 129 mm

**Surface:** Black Oil



*Refresh with Junckers Maintenance Oil right after installation. Transportation and handling of the floorboards on site can cause a slightly worn appearance.*

*\*Available to order from 250 m<sup>2</sup>. Contact us for price and delivery time.*

OAK NORDIC WHITE PLUS, PLANK



# TEXTURED & COLOURED PLANK FLOORS

Junckers textured oak floors feature a distinctive surface created with a special brushing technique. By removing the softer sapwood, the darker, tougher heartwood is raised, highlighting the wood's lively grain in a silky-soft, tactile finish.

Combined with carefully selected surface colours, the textured detail adds a new sensory dimension to the room—creating a floor with unique style and personality.

## DRIFTWOOD GREY

**Oak plank Harmony**

**Thickness:** 20.5 mm

**Width:** 140/185 mm

**Surface:** Ultra matt lacquer



## RAW SUGAR

**Oak plank Harmony**

**Thickness:** 20.5 mm

**Width:** 140/185 mm

**Surface:** Ultra matt lacquer



## VISTA GREY

**Oak plank Harmony**

**Thickness:** 20.5 mm

**Width:** 140/185 mm

**Surface:** Ultra matt lacquer



## OAK & OAK NORDIC

**15 mm plank**

**Thickness x width:** 15 x 129 mm

**Surface Oak:** Untreated, clear oil and ultra matt lacquer

**Surface Oak Nordic:** Ultra matt lacquer



## OAK & OAK NORDIC

**20.5 mm plank**

**Thickness x width:** 20.5 x 140/185 mm

**Surface Oak:** Untreated, clear oil and ultra matt lacquer

**Surface Oak Nordic:** Ultra matt lacquer



## BLACK OAK

**15 & 20.5 mm plank**

**Thickness x width:**

15 x 129 mm

20.5 x 140/185 mm

**Surface:** Untreated, clear oil and ultra matt lacquer



# HEXPARKET

Shapes and patterns in nature have a great impact on architecture and interior design. We let ourselves be inspired and the hexagon - a pattern based on equilateral triangles - is just one of several basic geometric patterns emerged by forces of nature and basic mathematics. Just take a look at a beehive, snow crystals or the shape of certain flowers.



## OAK

**Thickness:** 20.5 mm

**Size:** 370 x 370 x 370 mm

**Surface:** Untreated to be sealed on site



## BLACK OAK

**Thickness:** 20.5 mm

**Size:** 370 x 370 x 370 mm

**Surface:** Untreated to be sealed on site



# TRADITIONAL PATTERNS

## THE TWIN HERRINGBONE FLOORING

Twin Herringbone is inspired by traditional herringbone flooring, but with a distinctive, exclusive look. It is delivered pre-finished and ready to walk on immediately after installation.

Made from Junckers' classic two-stave flooring, each board combines one full-length stave and two half-length staves. The result is an authentic herringbone pattern with an elegant finish at an attractive price point.




### OAK

**Thickness x width x length:**

14/22 mm x 129 mm x 516,6 mm

**Surface:** Clear oil, Silk matt lacquer or ultra matt lacquer



## TWIN HERRINGBONE COLOURS

### BEECH



Surface: Silk Matt or Ultra Matt lacquer

### BEECH NORDIC



Surface: Ultra Matt lacquer

### BEECH SYLVAKET



Surface: Silk Matt or Ultra Matt lacquer

### OAK



Surface: Clear oil, Silk Matt or Ultra Matt lacquer

### OAK NORDIC



Surface: Ultra Matt lacquer

### BLACK OAK



Surface: Clear oil  
Available for orders starting from 250 m<sup>2</sup>.

# TRADITIONAL PATTERNS

## HERRINGBONE FLOORING - SINGLE STAVES AND PLANKS

Wooden floors in geometric pattern, tell stories of castles, classical mansions, galleries and museums. The aesthetics and timeless elegance of a herringbone floor is unique and this is why it forms a key design element in heritage, period and contemporary architecture.

Tongued and grooved single staves or planks. Can be installed in numerous patterns.



### SINGLE STAVES

**Oak**

**Thickness:** 16 mm

**Stave width x length:** 68 x 408 mm

**Surface:** Untreated to be sealed on site





### SINGLE STAVES - PLANKS

**Thickness x width x length:**

20.5 x 140 x 701 mm

15 x 129 x 775 mm

**Surface:** The floor is delivered surface treated from factory and is available in the exact same variety of surfaces as Junckers Plank Flooring.



*Factory-oiled floors: Refresh with Junckers Maintenance Oil right after installation.  
Transportation and handling of the floorboards on site can cause a slightly worn appearance.*



# JUNCKERS

Walking on Danish design